

Last updated 1 March 2021

Reference number	Date of decision	Information Provided	Type of release
9645	03/02/2021	Seeking plans, reports and drawings related to stormwater works for the proposed Parkside Drive Reserve Wetlands Project	Partial release
9646	03/02/2021	Seeking road Safety Audit report for the proposed Parkside Drive Reserve Wetlands Project	Partial release
9594	04/09/2020	Seeking plans, reports and drawings related to stormwater works for the proposed Parkside Drive Reserve Wetlands Project	Partial release
9552	24/04/2020	Information on percentage of water lost in uptake and delivery in our system	Information already available
9526	06/04/2020	Final reports related to the expansion of Sydney Desalination Plant	Partial release
9480	23/09/2019	Data related to analysis and water testing for PFAS chemicals at North Richmond Water Filtration Plant	Full release
9475	23/09/2019	Information produced in the last 12 months about: • Further plans for possible water restriction in the event of continued poor rainfall • Any options for possible use of recycled water for human consumption.	Partial release
9477	17/09/2019	Cleaning schedule for the wastewater pipes in the Coogee basin.	Full release
9474	11/09/2019	Information produced in the last two years about the impact of global warming and climate change on: • Supply and demand for water in the future • Options to deal with issues arising from climate change	Full release

Reference number	Date of decision	Information Provided	Type of release
9469	11/09/2019	Documents related to the monitoring of contamination at Astrolabe Park, Daceyville.	Full release
9473	03/09/2019	- Water quality data held by Sydney Water in relation to Alexandra canal - A report prepared by GHD in 2014 which was referred to in <i>Sydney Water – Review of Environmental Factors Green Square Stormwater Drain</i>.	Full release
9296	06/03/2018	Risk assessment prepared by Sydney Water for the Diamond Bay South and North and Vacluse sewer outfalls as required by the EPA for the Bondi WWTP Environment Protection Licence (EPL 1688). Visit Refresh Vacluse and Diamond Bay for more information.	Full release
9230	27/06/2017	Correspondence with Roads & Maritime Services and Sydney Motorway Corporation regarding impact of tunnelling under 7 Darley Road, Leichhardt on Sydney Water assets.	Partial release
9135	02/10/2015	Survey conducted by Sydney Water on use of wipe	Full release
9067	07/10/2014	Records related to Blue Mountains Backlog Sewerage Policy 1987-1997.	Full release
9061	02/10/2017	Records including correspondence and emails about soil testing and results at Hillsdale water easement, Campbell Reserve	Full release
9048	23/06/2014	Maintenance records for sewage pumping station SPS 187 at Sussex Street Cabramatta.	Full release