





## **WaterFix**®

## Schedule of services and charges, 1 July 2021

This schedule replaces any earlier versions. It applies to the WaterFix® services provided by Sydney Water and must be read together with the current WaterFix® terms and conditions of supply. These charges apply even if you only need part of the service.

**Promotional pricing -** current promotional pricing replaces standard pricing.

Service description	Charge including GST
Call out fee  Base fixed charge for all WaterFix® appointments. If the plumber visits the property, this charge applies even if no work is done.	\$ <del>60</del> \$33
Missed appointment charge  This charge applies if you're not present at the scheduled appointment time and didn't cancel the appointment as per the terms and conditions.	\$ <del>60</del> \$33
Call back fee  This charge applies if you request additional work and/or if we need another appointment to complete the requested work within 4 months of your initial water efficiency audit, unless the call back is at our request or required under warranty.	\$ <del>60</del> \$33
After hours surcharge  This surcharge is in addition to the call out fee if you request an appointment from 6pm on a business day	\$140 \$55
Saturday surcharge This surcharge is in addition to the call out fee if you request a Saturday appointment.	\$110 \$0
Deferred payment administration fee  The deferred payment allows you to pay for any item over \$200 in instalments over four consecutive water bills. This one-off fee will apply to the first bill only.	\$44
Materials charge	As quoted
Hourly labour charge	\$99



**Charge including GST** 



Service description



Toilets All of our toilets have a 4-star WELS rating. You must choose the same type of toilet as your existing toilet suite (Strap, P trap or Skew).  Standard model 1 toilet replacement Remove and dispose of existing toilet.  Supply and install a budget dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Standard model 2 toilet replacement Remove and dispose of existing toilet.  Supply and install a standard dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Mid-range toilet replacement Remove and dispose of existing toilet.  Supply and install a mid-range dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Premium toilet replacement Remove and dispose of existing toilet.  Supply and install a premium dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Premium toilet replacement Remove and dispose of existing toilet.  Stew pan toilet replacement Remove and dispose of existing toilet.  Skew pan toilet replacement Remove and dispose of existing toilet.  Supply and install a premium dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Skew pan toilet replacement Remove and dispose of existing toilet.  Supply and install a skew pan dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Toilet replacement, installation only Remove and dispose of existing toilet.  Supply and install a skew pan dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Toilet replacement, installation only Remove and dispose of existing toilet and install new compatible toilet (customer supplied).  Standard model 1 cistern replacement  S200  Sandard model 1 cistern replacement S200  Remove and dispose of existing cistern.  Supply and install a budget plastic dual flush cistern.	Col vice deconplien	Sharge melaamig Co.
Standard model 1 toilet replacement Remove and dispose of existing toilet.  Supply and install a budget dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Standard model 2 toilet replacement Remove and dispose of existing toilet.  Supply and install a standard dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Mid-range toilet replacement Remove and dispose of existing toilet.  Supply and install a mid-range dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Premium toilet replacement Remove and dispose of existing toilet.  Supply and install a premium dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Premium toilet replacement Remove and dispose of existing toilet.  Supply and install a premium dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Skew pan toilet replacement Remove and dispose of existing toilet.  Supply and install a skew pan dual flush toilet suite (pan and cistern) with a nicter replacement offer only replacement offer	All of our toilets have a 4-star WELS rating. You must choose the same type of toilet a	s your existing toilet suite
Remove and dispose of existing toilet.  Supply and install a budget dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Standard model 2 toilet replacement  Remove and dispose of existing toilet.  Supply and install a standard dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Mid-range toilet replacement  Remove and dispose of existing toilet.  Supply and install a mid-range dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Premium toilet replacement  Remove and dispose of existing toilet.  Supply and install a premium dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Skew pan toilet replacement  Remove and dispose of existing toilet.  Skew pan toilet replacement  Remove and dispose of existing toilet.  Supply and install a premium dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Skew pan toilet replacement  Remove and dispose of existing toilet.  Supply and install a skew pan dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Toilet replacement, installation only  Remove and dispose of existing toilet and install new compatible toilet (customer supplied).  Cisterns  All Sydney Water supplied cisterns have a 4-Star WELS rating.  Standard model 1 cistern replacement  \$200  Standard model 1 cistern replacement  \$200  Standard model 2 cistern replacement  \$200  Standard model 2 cistern replacement  \$200		
Supply and install a budget dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Standard model 2 toilet replacement Remove and dispose of existing toilet.  Supply and install a standard dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Mid-range toilet replacement Remove and dispose of existing toilet.  Supply and install a mid-range dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Premium toilet replacement Remove and dispose of existing toilet.  Supply and install a mid-range dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Premium toilet replacement Remove and dispose of existing toilet.  Supply and install a premium dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Skew pan toilet replacement Remove and dispose of existing toilet.  Supply and install a skew pan dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Toilet replacement, installation only Remove and dispose of existing toilet and install new compatible toilet (customer supplied).  Cisterns  All Sydney Water supplied cisterns have a 4-Star WELS rating.  Standard model 1 cistern replacement Remove and dispose of existing cistern.  Supply and install a budget plastic dual flush cistern.  Standard model 2 cistern replacement \$275	Standard model 1 toilet replacement	
supply and install a budget dual ritush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Standard model 2 toilet replacement  Remove and dispose of existing toilet.  Supply and install a standard dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Mid-range toilet replacement  Remove and dispose of existing toilet.  Supply and install a mid-range dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Premium toilet replacement  Remove and dispose of existing toilet.  Supply and install a premium dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Skew pan toilet replacement  Remove and dispose of existing toilet.  Supply and install a premium dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Skew pan toilet replacement  Remove and dispose of existing toilet.  Supply and install a skew pan dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Toilet replacement, installation only  Remove and dispose of existing toilet and install new compatible toilet (customer supplied).  Cisterns  All Sydney Water supplied cisterns have a 4-Star WELS rating.  Standard model 1 cistern replacement  Remove and dispose of existing cistern.  Supply and install a budget plastic dual flush cistern.  Standard model 2 cistern replacement  \$200	Remove and dispose of existing toilet.	·
Remove and dispose of existing toilet.  Supply and install a standard dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Mid-range toilet replacement  Remove and dispose of existing toilet.  Supply and install a mid-range dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Premium toilet replacement  Remove and dispose of existing toilet.  Supply and install a premium dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Skew pan toilet replacement  Skew pan toilet replacement  Skew pan toilet replacement  Supply and install a skew pan dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Skew pan toilet replacement  Supply and install a skew pan dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Toilet replacement, installation only  Supply and install a skew pan dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Toilet replacement, installation only  Supply and install a skew pan dual flush coilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Standard model 1 cistern replacement  Remove and dispose of existing toilet and install new compatible toilet (customer supplied cisterns have a 4-Star WELS rating.  Standard model 1 cistern replacement  Remove and dispose of existing cistern.  Supply and install a budget plastic dual flush cistern.  Standard model 2 cistern replacement  \$200	, , ,	
Supply and install a standard dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Mid-range toilet replacement  Remove and dispose of existing toilet.  Supply and install a mid-range dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Premium toilet replacement  Remove and dispose of existing toilet.  Supply and install a premium dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Skew pan toilet replacement  Remove and dispose of existing toilet.  Supply and install a skew pan dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Skew pan toilet replacement  Remove and dispose of existing toilet.  Supply and install a skew pan dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Toilet replacement, installation only  Remove and dispose of existing toilet and install new compatible toilet (customer supplied).  Toilet veplacement, installation only  Remove and dispose of existing toilet and install new compatible toilet (customer supplied).  Standard model 1 cistern replacement  Remove and dispose of existing cistern.  Supply and install a budget plastic dual flush cistern.  Standard model 2 cistern replacement  \$200	Standard model 2 toilet replacement	\$440
Supply and install a standard dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Mid-range toilet replacement  Remove and dispose of existing toilet.  Supply and install a mid-range dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Premium toilet replacement  Remove and dispose of existing toilet.  Supply and install a premium dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Skew pan toilet replacement  Stew pan toilet replacement  Remove and dispose of existing toilet.  Supply and install a skew pan dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Skew pan toilet replacement  Supply and install a skew pan dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Toilet replacement, installation only  Remove and dispose of existing toilet and install new compatible toilet (customer supplied).  Toilet replacement, installation only  Supply and dispose of existing toilet and install new compatible toilet (customer supplied).  Standard model 1 cistern replacement  Remove and dispose of existing cistern.  Supply and install a budget plastic dual flush cistern.  Standard model 2 cistern replacement  \$200	Remove and dispose of existing toilet.	
Remove and dispose of existing toilet.  Supply and install a mid-range dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Premium toilet replacement  Remove and dispose of existing toilet.  Supply and install a premium dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Skew pan toilet replacement  Remove and dispose of existing toilet.  Skew pan toilet replacement  Supply and install a skew pan dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Toilet replacement, installation only  Remove and dispose of existing toilet and install new compatible toilet (customer supplied).  **Secondary of the existing toilet and install new compatible toilet (customer supplied).  **Secondary of the existing toilet and install new compatible toilet (customer supplied).  **Secondary of the existing toilet and install new compatible toilet (customer supplied).  **Secondary of the existing toilet and install new compatible toilet (customer supplied).  **Secondary of the existing toilet and install new compatible toilet (customer supplied).  **Secondary of the existing toilet and install new compatible toilet (customer supplied).  **Secondary of the existing toilet and install new compatible toilet (customer supplied only replacement offer only replacement offer only replacement offer supplied).  **Secondary of the existing toilet only replacement offer o	" ' '	only replacement oner
Supply and install a mid-range dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Premium toilet replacement  Remove and dispose of existing toilet.  Supply and install a premium dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Skew pan toilet replacement  Remove and dispose of existing toilet.  Skew pan toilet replacement  Supply and install a skew pan dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Toilet replacement, installation only  Remove and dispose of existing toilet and install new compatible toilet (customer supplied).  \$220  Standard model 1 cistern replacement  \$200  Remove and dispose of existing cistern.  Supply and install a budget plastic dual flush cistern.  Standard model 2 cistern replacement  \$275	Mid-range toilet replacement	\$660
Supply and install a mid-range dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Premium toilet replacement  Remove and dispose of existing toilet.  Supply and install a premium dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Skew pan toilet replacement  Remove and dispose of existing toilet.  Supply and install a skew pan dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Toilet replacement, installation only  Remove and dispose of existing toilet and install new compatible toilet (customer supplied).  **Toilet replacement, installation only  S220  Setupply and install a skew pan dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  **Toilet replacement, installation only  S220  Standard model 1 cistern replacement  Standard model 1 cistern replacement  Remove and dispose of existing cistern.  Supply and install a budget plastic dual flush cistern.  Standard model 2 cistern replacement  \$275	Remove and dispose of existing toilet.	
Remove and dispose of existing toilet.  Supply and install a premium dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Skew pan toilet replacement  Remove and dispose of existing toilet.  Supply and install a skew pan dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Toilet replacement, installation only  Remove and dispose of existing toilet and install new compatible toilet (customer supplied).  Toilet replacement, installation only  Remove and dispose of existing toilet and install new compatible toilet (customer supplied).  Cisterns  All Sydney Water supplied cisterns have a 4-Star WELS rating.  Standard model 1 cistern replacement  Remove and dispose of existing cistern.  Supply and install a budget plastic dual flush cistern.  Standard model 2 cistern replacement  \$275		only replacement oner
Supply and install a premium dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Skew pan toilet replacement  Remove and dispose of existing toilet.  Supply and install a skew pan dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Toilet replacement, installation only  Remove and dispose of existing toilet and install new compatible toilet (customer supplied).  Cisterns  All Sydney Water supplied cisterns have a 4-Star WELS rating.  Standard model 1 cistern replacement  Remove and dispose of existing cistern.  Supply and install a budget plastic dual flush cistern.  Standard model 2 cistern replacement  \$275	Premium toilet replacement	\$700
Supply and install a premium dual flush toilet suite (pan and cistern) with a hidden trap. The existing set out must be compatible.  Skew pan toilet replacement  Remove and dispose of existing toilet.  Supply and install a skew pan dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Toilet replacement, installation only  Remove and dispose of existing toilet and install new compatible toilet (customer supplied).  Cisterns  All Sydney Water supplied cisterns have a 4-Star WELS rating.  Standard model 1 cistern replacement  Remove and dispose of existing cistern.  Supply and install a budget plastic dual flush cistern.  Standard model 2 cistern replacement  \$275	Remove and dispose of existing toilet.	
Remove and dispose of existing toilet.  Supply and install a skew pan dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Toilet replacement, installation only  Remove and dispose of existing toilet and install new compatible toilet (customer supplied).  Cisterns  All Sydney Water supplied cisterns have a 4-Star WELS rating.  Standard model 1 cistern replacement  Remove and dispose of existing cistern.  Supply and install a budget plastic dual flush cistern.  Standard model 2 cistern replacement  \$275	, , ,	city replacement ener
Supply and install a skew pan dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Toilet replacement, installation only  Remove and dispose of existing toilet and install new compatible toilet (customer supplied).  Cisterns  All Sydney Water supplied cisterns have a 4-Star WELS rating.  Standard model 1 cistern replacement  Remove and dispose of existing cistern.  Supply and install a budget plastic dual flush cistern.  Standard model 2 cistern replacement  \$275	Skew pan toilet replacement	\$1,100
Supply and install a skew pan dual flush toilet suite (pan and cistern) with an exposed trap. The existing set out must be compatible.  Toilet replacement, installation only \$220  Remove and dispose of existing toilet and install new compatible toilet (customer supplied).  Cisterns  All Sydney Water supplied cisterns have a 4-Star WELS rating.  Standard model 1 cistern replacement \$200  Remove and dispose of existing cistern.  Supply and install a budget plastic dual flush cistern.  Standard model 2 cistern replacement \$275	Remove and dispose of existing toilet.	
Remove and dispose of existing toilet and install new compatible toilet (customer supplied).  Cisterns All Sydney Water supplied cisterns have a 4-Star WELS rating.  Standard model 1 cistern replacement Remove and dispose of existing cistern.  Supply and install a budget plastic dual flush cistern.  Standard model 2 cistern replacement \$275		only replacement one
Cisterns All Sydney Water supplied cisterns have a 4-Star WELS rating.  Standard model 1 cistern replacement Remove and dispose of existing cistern.  Supply and install a budget plastic dual flush cistern.  Standard model 2 cistern replacement \$275	Toilet replacement, installation only	\$220
All Sydney Water supplied cisterns have a 4-Star WELS rating.  Standard model 1 cistern replacement \$200  Remove and dispose of existing cistern.  Supply and install a budget plastic dual flush cistern.  Standard model 2 cistern replacement \$275	·	
Remove and dispose of existing cistern.  Supply and install a budget plastic dual flush cistern.  Standard model 2 cistern replacement \$275		
Supply and install a budget plastic dual flush cistern.  Standard model 2 cistern replacement \$275	Standard model 1 cistern replacement	\$200
Standard model 2 cistern replacement \$275	Remove and dispose of existing cistern.	
	Supply and install a budget plastic dual flush cistern.	
Remove and dispose of existing cistern.	Standard model 2 cistern replacement	\$275
	Remove and dispose of existing cistern.	







Supply and install a budget plastic dual flush cistern.	
Service description	Charge including GST
Mid-range cistern replacement	\$330
Remove and dispose of existing cistern.	
Supply and install a mid-range ceramic dual flush cistern.	
Cistern replacement, installation only	\$110
Remove and dispose of existing cistern and install new compatible cistern (customer supplied).	
Showers	
Standard wall mounted and handheld 4-Star WELS rated showerhead	<del>\$110</del>
Supply and install a showerhead from the standard range	\$0
Premium wall mounted 4-Star WELS rated showerhead	<del>\$144</del>
Supply and install a showerhead from the premium range	\$0
Showerhead installation only	\$11
Installation of showerhead (customer supplied).	
Tap replacements	
Basin quarter turn tap set	\$330
Kitchen quarter turn tap set	\$330
Quarter turn wall top assembly	\$220
Basin tap set	\$220
Basin flick mixer	\$220
Kitchen sink tap set	\$242
Kitchen flick mixer	\$220
Wall top assembly	\$198
Washing machine tap set	\$209
Flick mixer replacement, installation only (customer supplied mixer)	\$154
Tap set replacement, installation only (customer supplied tap set)	\$154
Washing machine tap set, installation only (customer supplied washing machine tap set)	\$132







Service description	Charge including GST
Leak repairs and installation of water efficient fittings	
Minor tap and toilet leak repairs (each repair)	\$ <del>33</del>
A minor tap leak repair includes washer and o-ring replacement and reseating the tap. It does not include repairs to flick mixers, outdoor taps, ceramic cartridge taps or quarter turn mixing taps.	\$0
A minor toilet leak repair does not include repair of cracked or leaking cisterns or toilet pans.	
Replacement of standard outdoor taps (each tap) (non-leaking)  Leaking outdoor tap replacement	\$44 <b>\$</b> 0
Tap seat replacement	<del>\$33</del> \$0
Toilet flush manual control (cistern weight)	\$22
Toilet outlet washer replacement	<del>\$33</del> \$0
Aerator	\$ <del>22</del>
4-Star WELS rated pressure compensating aerator for basin and kitchen taps	\$0
In-line flow controller	<del>\$22</del> <b>\$1</b> 1
Toilet inlet valve replacement (standard)	\$66 \$0
Toilet outlet valve replacement	As quoted
Mixer cartridge replacement	As quoted
Backflow prevention valve (handheld shower)	\$55
Mini stop tap replacement	\$44 \$0
Mini stop tap replacement, installation only (customer supplied mini stop tap)	\$33
Tap extensions - pair	\$88
Flexi hose - single	\$33 \$33
Flexi hose - pair	\$22 \$44
	\$33
Pressure reduction valve (at the water meter)	\$220
Pipe freezing	\$286







## Contact us

Visit sydneywater.com.au/waterfix
WaterFix® enquiries Call 1800 807 475
Email waterfix@sydneywater.com.au